

Notes	
1	<p>The following abbreviations are used: Combined Loss Adjustment Factor => CLAF Distribution Loss Adjustment Factor => DLAF Transmission Loss Adjustment Factor => TLAF</p>
2	Both DLAFs and TLAFs are calculated and applied in line with the tariff year (1st Oct to 30th Sept).
3	The CLAF is calculated by multiplying TLAF * DLAF. For DSO connected units whose metered data is provided to SEMO by EirGrid (or for Price Effecting Units), CLAF = TLAF * DLAF. Where DLAFs are applied pre-submission by MRSO (or Unit is non Price Effecting) DLAF is set = 1 in the CLAF calculation in "CLAF" tab
4	CLAFs are not provided for months where the generator is not a market participant
5	For DLAFs Day hours = 08:00 to 23:00 Night hours = 23:00 to 08:00
6	For TLAFs Day hours = 07:00 to 22:00 Night hours = 22:00 to 07:00
Version	
v1.0	These values were first published on theSEMO website on 24.09.2014

Market Participant - Transmis	Unit Id - 1	Unit Id - SEMO	Transmission Stat	kV	Oct_CLAF	Oct_CLAF	Oct_CLAF	Oct_CLAF	Oct_CLAF	Nov_CLAF	Nov_CLAF	Nov_CLAF	Nov_CLAF	Nov_CLAF	Dec_CLAF	Dec_CLAF	Dec_CLAF	Dec_CLAF	
ARDNACRUSHA UNIT 1	AA1	GU_400200	Ardnacrusha	110	0.983	0.982	0.982	0.983	0.983	0.982	0.982	0.982	0.982	0.982	0.980	0.981	0.981	0.980	
ARDNACRUSHA UNIT 2	AA2	GU_400201	Ardnacrusha	110	0.983	0.982	0.982	0.983	0.983	0.982	0.982	0.982	0.982	0.982	0.980	0.981	0.981	0.980	
ARDNACRUSHA UNIT 3	AA3	GU_400202	Ardnacrusha	110	0.983	0.982	0.982	0.983	0.983	0.982	0.982	0.982	0.982	0.982	0.980	0.981	0.981	0.980	
TURLOUGH HILL UNIT 2	TH2	GU_400361	Turlough Hill	220	0.998	0.991	0.991	0.998	0.998	0.998	0.991	0.991	0.998	0.998	0.998	0.990	0.990	0.998	0.998
TURLOUGH HILL UNIT 3	TH3	GU_400362	Turlough Hill	220	0.998	0.991	0.991	0.998	0.998	0.998	0.991	0.991	0.998	0.998	0.998	0.990	0.990	0.998	0.998
TURLOUGH HILL UNIT 4	TH4	GU_400363	Turlough Hill	220	0.998	0.991	0.991	0.998	0.998	0.998	0.991	0.991	0.998	0.998	0.998	0.990	0.990	0.998	0.998
Tournafulla 2 WF	TN2	GU_400600	Trien	110	0.973	0.977	0.980	0.976	0.973	0.973	0.977	0.980	0.976	0.973	0.973	0.976	0.979	0.976	0.973
TAWNAGHMORE PEAKING U	TP1	GU_400780	Tawnaghmore	110	0.993	1.002	0.993	0.993	0.994	1.003	1.003	0.994	0.994	0.995	1.004	0.995	0.995	0.995	0.995
TAWNAGHMORE PEAKING U	TP3	GU_400781	Tawnaghmore	110	0.993	1.002	1.002	0.993	0.993	0.994	1.003	1.003	0.994	0.994	0.995	1.004	1.004	0.995	0.995
Taurbeg 1 WF	TR1	GU_401640	Glenlara	110	0.984	0.989	0.992	0.987	0.984	0.987	0.990	0.993	0.990	0.987	0.985	0.989	0.992	0.988	0.985
Tursillagh 1 WF	TUR	GU_401260	Tralee	110	0.977	0.980	0.980	0.977	0.977	0.978	0.980	0.980	0.978	0.978	0.977	0.979	0.979	0.977	0.977
TYNAGH ENERGY LTD	TYC	GU_400530	Tynagh	220	0.985	0.984	0.984	0.985	0.985	0.985	0.985	0.985	0.985	0.985	0.984	0.982	0.982	0.984	0.984
Whitegate 1	WG1	GU_400930	Glanagow	220	0.980	0.982	0.982	0.980	0.980	0.983	0.983	0.983	0.983	0.983	0.979	0.980	0.980	0.979	0.979
WEST OFFALY UNIT 1	WO4	GU_400370	Shannonbridge	110	0.974	0.980	0.980	0.974	0.974	0.975	0.981	0.981	0.975	0.975	0.976	0.981	0.981	0.976	0.976
Carrowleagh 1 WF	XR1	GU_401280	Glenree	110	0.978	0.987	0.987	0.978	0.978	0.978	0.988	0.988	0.978	0.978	0.979	0.988	0.988	0.979	0.979

Unit Id - 1	Jan_CLAF	Jan_CLAF	Jan_CLAF	Jan_CLAF	Feb_CLAF	Feb_CLAF	Feb_CLAF	Feb_CLAF	Mar_CLAF	Mar_CLAF	Mar_CLAF	Mar_CLAF	Apr_CLAF	Apr_CLAF	Apr_CLAF	Apr_CLAF	May_CLAF				
AA1	0.979	0.981	0.981	0.979	0.979	0.981	0.981	0.981	0.983	0.982	0.982	0.983	0.988	0.986	0.986	0.988	0.991				
AA2	0.979	0.981	0.981	0.979	0.979	0.981	0.981	0.981	0.983	0.982	0.982	0.983	0.988	0.986	0.986	0.988	0.991				
AA3	0.979	0.981	0.981	0.979	0.979	0.981	0.981	0.981	0.983	0.982	0.982	0.983	0.988	0.986	0.986	0.988	0.991				
TH2	0.998	0.990	0.990	0.998	0.998	0.997	0.991	0.991	0.997	0.998	0.991	0.991	0.998	0.999	0.991	0.999	1.000				
TH3	0.998	0.990	0.990	0.998	0.998	0.997	0.991	0.991	0.997	0.998	0.991	0.991	0.998	0.999	0.991	0.999	1.000				
TH4	0.998	0.990	0.990	0.998	0.998	0.997	0.991	0.991	0.997	0.998	0.991	0.991	0.998	0.999	0.991	0.999	1.000				
TN2	0.973	0.977	0.980	0.976	0.973	0.972	0.977	0.980	0.975	0.972	0.975	0.978	0.975	0.972	0.980	0.979	0.982	0.983	0.980	0.983	
TP1	0.996	1.006	1.006	0.996	0.996	0.997	1.005	1.005	0.997	0.997	0.995	1.003	0.995	0.995	0.997	1.002	1.002	0.997	0.997	0.996	
TP3	0.996	1.006	1.006	0.996	0.996	0.997	1.005	1.005	0.997	0.997	0.995	1.003	1.003	0.995	0.995	0.997	1.002	1.002	0.997	0.997	0.996
TR1	0.986	0.990	0.993	0.989	0.986	0.985	0.989	0.992	0.988	0.985	0.986	0.989	0.992	0.989	0.986	0.992	0.993	0.996	0.995	0.992	0.996
TUR	0.976	0.980	0.980	0.976	0.976	0.976	0.979	0.979	0.976	0.976	0.976	0.979	0.976	0.976	0.984	0.982	0.982	0.984	0.984	0.986	
TYC	0.979	0.977	0.977	0.979	0.979	0.982	0.983	0.983	0.982	0.982	0.983	0.984	0.984	0.983	0.983	0.988	0.985	0.985	0.988	0.989	
WG1	0.981	0.981	0.981	0.981	0.981	0.979	0.979	0.979	0.979	0.979	0.981	0.981	0.981	0.981	0.988	0.986	0.986	0.988	0.988	0.993	
WO4	0.976	0.981	0.981	0.976	0.976	0.975	0.981	0.981	0.975	0.975	0.980	0.980	0.975	0.975	0.988	0.991	0.991	0.988	0.988	0.983	
XR1	0.980	0.989	0.989	0.980	0.980	0.981	0.989	0.989	0.981	0.981	0.980	0.987	0.987	0.980	0.980	0.981	0.986	0.986	0.981	0.981	

Unit Id - 1	May_CLAF	May_CLAF	May_CLAF	May_CLAF	Jun_CLAF	Jun_CLAF	Jun_CLAF	Jun_CLAF	Jun_CLAF	Jul_CLAF_1	Jul_CLAF_1	Jul_CLAF_2	Jul_CLAF_3	Jul_CLAF_4	Aug_CLAF	Aug_CLAF	Aug_CLAF	Aug_CLAF	Sep_CLAF	Sep_CLAF	
AA1	0.990	0.990	0.991	0.991	0.989	0.989	0.989	0.989	0.989	0.991	0.993	0.993	0.991	0.991	0.989	0.988	0.988	0.989	0.990	0.989	
AA2	0.990	0.990	0.991	0.991	0.989	0.989	0.989	0.989	0.989	0.991	0.993	0.993	0.991	0.991	0.989	0.988	0.988	0.989	0.990	0.989	
AA3	0.990	0.990	0.991	0.991	0.989	0.989	0.989	0.989	0.989	0.991	0.993	0.993	0.991	0.991	0.989	0.988	0.988	0.989	0.990	0.989	
TH2	0.991	0.991	1.000	1.000	0.992	0.992	1.000	1.000	1.000	0.992	0.992	0.992	1.000	1.000	1.001	0.991	0.991	1.001	0.998	0.991	
TH3	0.991	0.991	1.000	1.000	0.992	0.992	1.000	1.000	1.000	0.992	0.992	0.992	1.000	1.000	1.001	0.991	0.991	1.001	0.998	0.991	
TH4	0.991	0.991	1.000	1.000	0.992	0.992	1.000	1.000	1.000	0.992	0.992	0.992	1.000	1.000	1.001	0.991	0.991	1.001	0.998	0.991	
TN2	0.982	0.985	0.986	0.983	0.982	0.982	0.985	0.985	0.982	0.983	0.986	0.989	0.986	0.983	0.981	0.980	0.983	0.984	0.981	0.983	0.983
TP1	1.002	1.002	0.996	0.996	0.995	1.001	1.001	0.995	0.995	0.993	0.999	0.999	0.993	0.993	0.993	0.999	0.999	0.993	0.993	1.002	
TP3	1.002	1.002	0.996	0.996	0.995	1.001	1.001	0.995	0.995	0.993	0.999	0.999	0.993	0.993	0.993	0.999	0.999	0.993	0.993	0.995	1.002
TR1	0.998	1.001	0.999	0.996	0.993	0.995	0.998	0.996	0.993	0.998	1.003	1.006	1.001	0.998	0.993	0.996	0.999	0.996	0.993	0.995	0.999
TUR	0.985	0.985	0.986	0.986	0.985	0.985	0.985	0.985	0.985	0.987	0.989	0.989	0.987	0.987	0.985	0.984	0.984	0.985	0.985	0.986	0.986
TYC	0.986	0.986	0.989	0.989	0.990	0.987	0.987	0.990	0.990	0.989	0.987	0.987	0.989	0.989	0.989	0.986	0.986	0.989	0.990	0.986	0.986
WG1	0.995	0.995	0.993	0.993	0.989	0.990	0.990	0.989	0.989	0.998	1.002	1.002	0.998	0.998	0.991	0.993	0.993	0.991	0.991	0.993	0.995
WO4	0.988	0.988	0.983	0.983	0.979	0.983	0.983	0.979	0.979	0.980	0.986	0.986	0.980	0.980	0.984	0.984	0.980	0.980	0.979	0.984	
XR1	0.986	0.986	0.981	0.981	0.979	0.985	0.985	0.979	0.979	0.977	0.983	0.983	0.977	0.977	0.978	0.983	0.983	0.978	0.978	0.979	0.985

Unit Id - 1	Sep_CLAF_	Sep_CLAF_	Sep_CLAF_
AA1	0.989	0.990	0.990
AA2	0.989	0.990	0.990
AA3	0.989	0.990	0.990
AA4	0.989	0.990	0.990
AD1	0.995	0.993	0.993
AD2	0.995	0.993	0.993
AH1	0.979	0.982	0.982
AR2	0.996	0.995	0.995
ARB	0.995	0.997	0.997
AT1	0.995	0.993	0.993
AT2	0.995	0.993	0.993
AT4	0.995	0.993	0.993
BA1	0.995	0.993	0.990
BCW	0.997	0.997	0.994
BD1	0.999	0.993	0.993
BE1	0.987	0.987	0.987
BG1	0.988	0.986	0.986
BM1	0.969	0.963	0.963
BN1	1.004	1.002	0.999
BR1	0.998	0.995	0.995
BT1	0.983	0.986	0.986
BT2	0.983	0.986	0.986
BU1	0.981	0.975	0.975
BW1	0.997	0.996	0.996
BX1	0.958	0.955	0.952
BX2	0.958	0.955	0.952
BY1	0.974	0.973	0.973
BY2	0.974	0.973	0.973
CAR	0.985	0.983	0.983
CD1	0.981	0.979	0.979
CG1	0.980	0.980	0.980
CG2	0.980	0.980	0.980
CG3	0.980	0.980	0.980
CJ1	0.986	0.985	0.985
CK1	0.996	0.995	0.995
CM1	0.991	0.989	0.989
CNS	1.002	0.997	0.997
CU1	0.986	0.990	0.990
CZ1	0.984	0.984	0.984
DB1	0.993	0.996	0.996
DR1	0.979	0.982	0.982
DV1	1.005	1.001	0.998
DY1	0.979	0.977	0.977
ED1	0.977	0.968	0.968
ED3	0.977	0.968	0.968
ED5	0.977	0.968	0.968
ER1	0.986	0.985	0.985
ER2	0.986	0.985	0.985
ER3	0.986	0.985	0.985
ER4	0.986	0.985	0.985
EW1	0.969	0.989	0.989
GA2	1.000	0.998	0.998
GE1	1.010	1.009	1.006
GH1	0.989	0.985	0.985
GH2	0.989	0.985	0.985
GI1	1.001	0.999	0.999
GI2	1.001	0.999	0.999
GI3	1.000	0.997	0.997
GI4	1.000	0.997	0.997
GLC	0.980	0.980	0.980

Unit Id - 1	Sep_CLAF_	Sep_CLAF_	Sep_CLAF_
AA1	0.989	0.990	0.990
AA2	0.989	0.990	0.990
AA3	0.989	0.990	0.990
GM1	0.976	0.973	0.973
GO1	0.983	0.982	0.982
GT1	0.981	0.980	0.980
GU1	0.974	0.971	0.971
GW1	0.992	0.995	0.993
HN2	0.994	0.998	0.998
HNC	0.995	0.998	0.998
INV1	0.993	0.995	0.995
IW1	1.015	1.015	1.012
KC1	0.964	0.960	0.960
KG2	0.995	0.990	0.990
KGM	0.995	0.990	0.990
KH1	0.995	0.989	0.989
KM1	0.982	0.983	0.983
KW1	0.953	0.953	0.953
LE1	0.995	0.994	0.994
LE2	0.995	0.994	0.994
LE3	0.993	0.992	0.992
LG1	1.002	1.003	1.000
LI1	1.002	0.998	0.998
LI2	1.002	0.998	0.998
LI3	1.002	0.998	0.998
LI4	1.002	0.998	0.998
LI5	1.000	1.000	1.000
LR4	0.981	0.975	0.975
LS1	0.992	0.986	0.986
LS2	0.992	0.986	0.986
MC1	0.997	1.001	0.998
MCT	0.981	0.979	0.979
MH1	0.997	0.989	0.986
ML1	0.999	0.993	0.993
MMR	0.979	0.985	0.985
MO1	0.979	0.972	0.972
MP1	0.981	0.987	0.987
MP2	0.981	0.987	0.987
MP3	0.981	0.987	0.987
MRT	0.998	0.995	0.995
MU1	0.995	0.995	0.992
MXE	1.009	1.001	1.001
NW4	0.995	0.998	0.998
NW5	0.995	0.998	0.998
PBC	0.993	0.997	0.997
RC1	0.994	0.997	0.994
RF1	0.995	0.990	0.987
RO1	0.985	0.983	0.983
RP1	0.993	0.992	0.992
RP2	0.993	0.992	0.992
SK3	0.973	0.974	0.974
SK4	0.973	0.974	0.974
SL1	0.996	0.992	0.992
SL2	0.996	0.992	0.992
SN1	0.976	0.970	0.970
TB1	0.981	0.985	0.985
TB2	0.981	0.985	0.985
TB3	0.981	0.985	0.985
TB4	0.981	0.985	0.985
TH1	0.991	0.998	0.998

Unit Id - 1	Sep_CLAF	Sep_CLAF	Sep_CLAF
AA1	0.989	0.990	0.990
AA2	0.989	0.990	0.990
AA3	0.989	0.990	0.990
TH2	0.991	0.998	0.998
TH3	0.991	0.998	0.998
TH4	0.991	0.998	0.998
TN2	0.986	0.986	0.983
TP1	1.002	0.995	0.995
TP3	1.002	0.995	0.995
TR1	1.002	0.998	0.995
TUR	0.986	0.986	0.986
TYC	0.986	0.990	0.990
WG1	0.995	0.993	0.993
WO4	0.984	0.979	0.979
XR1	0.985	0.979	0.979

Market Pa	Unit Id - T1	Unit Id - T1	Transmissi	kV	Oct Day	Oct Night	Nov Day	Nov Night	Dec Day	Dec Night	Jan Day	Jan Night	Feb Day	Feb Night	Mar Day	Mar Night	Apr Day	Apr Night	May Day	May Night	Jun Day	Jun Night	Jul Day	Jul Night	Aug Day	Aug Night	Sep Day	Sep Night
Ballybane	BA1	GU_40065	Ballylickey	110	1.0036	1.0006	1.0036	1.0006	1.0036	1.0006	1.0036	1.0006	1.0036	1.0006	1.0036	1.0006	1.0036	1.0006	1.0036	1.0006	1.0036	1.0006	1.0036	1.0006	1.0036	1.0006	1.0036	
Ballycollig	BCW	GU_40100	Tralee	110	1.0116	1.0086	1.0116	1.0086	1.0116	1.0086	1.0116	1.0086	1.0116	1.0086	1.0116	1.0086	1.0116	1.0086	1.0116	1.0086	1.0116	1.0086	1.0116	1.0086	1.0116	1.0086	1.0116	
Beam Hill	BM1	GU_40160	Trillick	110	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	0.9905	
Bawnmore	BN1	GU_40115	Macroom	110	1.0115	1.0085	1.0115	1.0085	1.0115	1.0085	1.0115	1.0085	1.0115	1.0085	1.0115	1.0085	1.0115	1.0085	1.0115	1.0085	1.0115	1.0085	1.0115	1.0085	1.0115	1.0085	1.0115	
Bruckana	BU1	GU_40152	Lisheen	110	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	0.9892	
Ballymartin	BX1	GU_40153	Waterford	110	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	
Ballymartyr	BX2	GU_40153	Waterford	110	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	0.9527	0.9557	
Ballycadde	BY1	GU_40128	LOGGEW	110	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	
Ballycadde	BY2	GU_40136	LOGGEW	110	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	0.9776	
Carraigcar	CD1	GU_40107	Boggeragh	110	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	0.9933	
Dromdeev	DV1	GU_40124	Glenlara	110	1.0072	1.0042	1.0072	1.0042	1.0072	1.0042	1.0072	1.0042	1.0072	1.0042	1.0072	1.0042	1.0072	1.0042	1.0072	1.0042	1.0072	1.0042	1.0072	1.0042	1.0072	1.0042	1.0072	
Gortahile	GE1	GU_40106	Carlow	110	1.0124	1.0094	1.0124	1.0094	1.0124	1.0094	1.0124	1.0094	1.0124	1.0094	1.0124	1.0094	1.0124	1.0094	1.0124	1.0094	1.0124	1.0094	1.0124	1.0094	1.0124	1.0094	1.0124	
Garracum	GM1	GU_40131	Cauteen	110	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	0.9828	
Gibbet Hill	GT1	GU_40134	Lodgewoo	110	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	0.9853	
Glenough	GU1	GU_40125	Cauteen	110	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	0.9811	
Grouse Loi	GW1	GU_40108	Rathkeale	110	1.0096	1.0066	1.0096	1.0066	1.0096	1.0066	1.0096	1.0066	1.0096	1.0066	1.0096	1.0066	1.0096	1.0066	1.0096	1.0066	1.0096	1.0066	1.0096	1.0066	1.0096	1.0066	1.0096	
INDAVER	IW1	GU_40123	Drybridge	110	1.0136	1.0106	1.0136	1.0106	1.0136	1.0106	1.0136	1.0106	1.0136	1.0106	1.0136	1.0106	1.0136	1.0106	1.0136	1.0106	1.0136	1.0106	1.0136	1.0106	1.0136	1.0106	1.0136	
Knockacur	KC1	GU_40145	Glenlara	110	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	
Knocknag	KM1	GU_40135	Reamore	110	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	0.9965	
Knockkawa	KW1	GU_40063	Trien	110	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	0.9659	
Leitir Guind	LG1	GU_40150	Salthi	110	1.0077	1.0047	1.0077	1.0047	1.0077	1.0047	1.0077	1.0047	1.0077	1.0047	1.0077	1.0047	1.0077	1.0047	1.0077	1.0047	1.0077	1.0047	1.0077	1.0047	1.0077	1.0047	1.0077	
Meenachu	MC1	GU_40061	Binbane	110	1.0107	1.0077	1.0107	1.0077	1.0107	1.0077	1.0107	1.0077	1.0107	1.0077	1.0107	1.0077	1.0107	1.0077	1.0107	1.0077	1.0107	1.0077	1.0107	1.0077	1.0107	1.0077	1.0107	
Monaincha	MH1	GU_40154	Ikerrin	110	1.0039	1.0009	1.0039	1.0009	1.0039	1.0009	1.0039	1.0009	1.0039	1.0009	1.0039	1.0009	1.0039	1.0009	1.0039	1.0009	1.0039	1.0009	1.0039	1.0009	1.0039	1.0009	1.0039	
Muiningnam	MU1	GU_40094	Tralee	110	1.0089	1.0059	1.0089	1.0059	1.0089	1.0059	1.0089	1.0059	1.0089	1.0059	1.0089	1.0059	1.0089	1.0059	1.0089	1.0059	1.0089	1.0059	1.0089	1.0059	1.0089	1.0059	1.0089	
Rathcaghill	RC1	GU_40108	Rathkeale	110	1.0108	1.0078	1.0108	1.0078	1.0108	1.0078	1.0108	1.0078	1.0108	1.0078	1.0108	1.0078	1.0108	1.0078	1.0108	1.0078	1.0108	1.0078	1.0108	1.0078	1.0108	1.0078	1.0108	
Richfield	RF1	GU_40008	Wexford	110	0.9933	0.9903	0.9933	0.9903	0.9933	0.9903	0.9933	0.9903	0.9933	0.9903	0.9933	0.9903	0.9933	0.9903	0.9933	0.9903	0.9933	0.9903	0.9933	0.9903	0.9933	0.9903	0.9933	
Sorne Hill	SN1	GU_40056	Trillick	110	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	0.9977	
Tournafulla	TN2	GU_40061	Trien	110	0.9993	0.9963	0.9993	0.9963	0.9993	0.9963	0.9993	0.9963	0.9993	0.9963	0.9993	0.9963	0.9993	0.9963	0.9993	0.9963	0.9993	0.9963	0.9993	0.9963	0.9993	0.9963	0.9993	
TAWNAUGH	TP1	GU_40078	Tawnaghmr	110	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
TAWNAUGH	TP3	GU_40078	Tawnaghmr	110	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
Taurbeg	TR1	GU_40164	Glenlara	110	1.0043	1.0013	1.0043	1.0013	1.0043	1.0013	1.0043	1.0013	1.0043	1.0013	1.0043	1.0013	1.0043	1.0013	1.0043	1.0013	1.0043	1.0013	1.0043	1.0013	1.0043	1.0013	1.0043	
Carrowleat	XR1	GU_40128	Glenree	110	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	0.9876	